

BONDERITE C-NE 5175
NEUTRAL CLEANER
(KNOWN AS P3 NEUTRACARE 5175)Issued
11/6/2013

PRODUCT SUMMARY AT A GLANCE	
Product type	Neutral Cleaner
Metal type	Steel, Cast Iron
Application	Cleaner with Rust Protection

1. Product Technology

BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175) is a neutral based in-process cleaner with corrosion inhibitors designed for short term corrosion protection on ferrous alloys. Its unique composition of alkalinity, corrosion inhibitors, and surfactants, provides a durable low foaming hard water stable product for today's light to moderate duty cleaning and protecting needs.

2. Typical Properties

Property	Concentrate	Dilution
Appearance	Clear Yellow	Clear
pH	10.7	9.4 @ 5%
Operating Temperature Range	120-160°F	

3. Operating Summary

BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175) is generally used between 1 to 3% in water for most operations. BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175) provides short term indoor protection up to 4 weeks. Results are typical with normal production practices and do not constitute a specification. Consult your Henkel representative for more specific recommendations on your particular operation and conditions.

4. Application Technologies

Conventional spray, vibratory, ultrasonic and immersion washers are suitable for use with BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175). Consult your Henkel representative for more specific recommendations on your particular operation and conditions.

5. Product Control Test Method

BONDERITE C-NE 5175
NEUTRAL CLEANER
(KNOWN AS P3 NEUTRACARE 5175)

Titration Procedure: Place 25 ml sample in a clean 125 ml flask. Add 15-20 drops of Brom Cresol Purple (Indicator 29). Titrate with 0.1N Hydrochloric Acid (Titrating Solution 61) until solution changes color. To determine concentration, multiply the milliliters HCL consumed by 0.26 or obtain from table below.

% BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175)	HCL consumed, ml
1	4.2
2	8.4
3	12.5

Storage Requirements: BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175) should be protected from freezing. Store BONDERITE C-NE 5175 (known as P3 NEUTRACARE 5175) above 40°F and below 100°F for best results.

Waste Disposal: Please follow all applicable Federal, State and local regulations regarding proper disposal of this product.

For more information about Henkel products and services, please contact your local Henkel representative or call the phone number below.

Henkel Corporation | 32100 Stephenson Highway | Madison Heights, MI 48071
PHONE: (248) 583-9300 | FAX: (248) 583-2976 | www.henkelna.com/

Trademark usage

Except as otherwise noted, all trademarks in this document are trademarks of Henkel Corporation in the U.S. and elsewhere. ® denotes a trademark registered in the U.S. Patent and Trademark Office.

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof. In light of the foregoing, **Henkel Corporation specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits.** The discussion herein of various processes or compositions is not to be interpreted as representation that they are free from domination of patents owned by others or as a license under any Henkel Corporation patents that may cover such processes or compositions. We recommend that each prospective user test his proposed application before repetitive use, using this data as a guide. This product may be covered by one or more United States or foreign patents or patent applications.

