

Revision Number: 003.1 Issue date: 06/29/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BONDERITE L-GP 4275 CORROSION IDH number:

INHIBITOR known as CP 4275

Product type: Rust preventor

Restriction of Use: None identified Company address:

Henkel Corporation
One Henkel Way

Rocky Hill, Connecticut 06067

**IDH number:** 593798

Region: United States

Contact information: Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER: CAUSES SKIN IRRITATION.

CAUSES SERIOUS EYE DAMAGE.

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR

REPEATED EXPOSURE.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
SERIOUS EYE DAMAGE	1
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	2

#### PICTOGRAM(S)



#### **Precautionary Statements**

**Prevention:** Do not breathe vapors, mist, or spray. Wash affected area thoroughly after handling. Wear

protective gloves, eye protection, and face protection.

Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if you feel unwell. If skin irritation occurs: Get medical attention. Take off contaminated

clothing.

Storage: Not prescribed

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

IDH number: 593798 Product name: BONDERITE L-GP 4275 CORROSION INHIBITOR known as CP 4275

Page 1 of 6

Hazardous Component(s)	CAS Number	Percentage*	
Triethanolamine	102-71-6	10 - 20	
Diethanolamine	111-42-2	1 - 5	
Amine borate	Proprietary	5 - 10	
Monoethanolamine	141-43-5	0.1 - 1	
Bis(2-chloroethyl) ether- tetramethylethylenediamine copolyn	31075-24-8	0.1 - 1	

<sup>\*</sup> Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist.

**Skin contact:** For skin contact flush with large amounts of water. Obtain medical attention if

irritation persists.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Seek medical advice. DO NOT induce vomiting unless directed to do so by

medical personnel.

Symptoms: See Section 11.

IDH number: 593798

Notes to physician: Treat symptomatically and supportively.

#### 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may contain

unidentified toxic gasses.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sewer or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal.

#### 7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist.

Wash thoroughly after handling. Do not take internally. For industrial use only.

**Storage:** For safe storage, store between 5 °C (41°F) and 35 °C (95°F)

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

Product name: BONDERITE L-GP 4275 CORROSION INHIBITOR known as CP 4275

Page 2 of 6

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Triethanolamine	5 mg/m3 TWA	None	None	None
	1 mg/m3 TWA Inhalable fraction and			
Diethanolamine	vapor. (SKIN) Inhalable fraction and vapor.	None	None	None
Amine borate	None	None	None	None
Monoethanolamine	6 ppm STEL 3 ppm TWA	3 ppm (6 mg/m3) PEL	None	None
Bis(2-chloroethyl) ether- tetramethylethylenediamine conolyn	None	None	None	None

Engineering controls: Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

**Eye/face protection:** Wear safety glasses; chemical goggles (if splashing is possible).

**Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:LiquidColor:AmberOdor:AmineOdor threshold:Not available.pH:10.01

Vapor pressure: Not determined

Boiling point/range: 100 °C (212°F)calculated

Melting point/ range:Not available.Specific gravity:1.068

IDH number: 593798

Vapor density: Not determined Not applicable Flash point: Flammable/Explosive limits - lower: Not applicable Flammable/Explosive limits - upper: Not applicable Not applicable Autoignition temperature: Flammability: Not applicable Evaporation rate: Not determined Solubility in water: Complete Partition coefficient (n-octanol/water): Not determined **VOC** content: Not available. Viscosity: 6.5 mPa.s **Decomposition temperature:** Not available.

Product name: BONDERITE L-GP 4275 CORROSION INHIBITOR known as CP 4275

Page 3 of 6

# 10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: Will not occur.

Hazardous decomposition

products:

IDH number: 593798

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

**Incompatible materials:** This product may react with strong acids or oxidizing agents.

Reactivity: Not available.

**Conditions to avoid:** Keep away from heat, ignition sources and incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

#### Potential Health Effects/Symptoms

Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Skin contact: This product may cause irritation to the skin. A component in this product may be absorbed

through the skin in harmful amounts.

**Eye contact:** This product may cause irritation to the eyes.

Ingestion: Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal

irritation and disturbances.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Triethanolamine	Oral LD50 (Rat) = 8.0 g/kg Dermal LD50 (Rabbit) = > 20,000 mg/kg	Irritant, Allergen	
Diethanolamine	Oral LD50 (Rat) = 710 mg/kg Oral LD50 (Rat) = 1.82 g/kg	Allergen, Corrosive, Irritant, Liver, Respiratory	
Amine borate	None	Cardiac, Central nervous system, Developmental, Gastrointestinal, Irritant, Kidney, Metabolic, Reproductive	
Monoethanolamine	Oral LD50 (Rat) = 10.2 g/kg Oral LD50 (Mouse) = 700 mg/kg Dermal LD50 (Rabbit) = 1,025 mg/kg	Irritant, Kidney, Liver, Corrosive, Respiratory, Developmental	
Bis(2-chloroethyl) ether- tetramethylethylenediamine copolymer	None	No Target Organs	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Triethanolamine	No	No	No
Diethanolamine	No	Group 2B	No
Amine borate	No	No	No
Monoethanolamine	No	No	No
Bis(2-chloroethyl) ether- tetramethylethylenediamine copolymer	No	No	No

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Harmful to aquatic organisms.

Product name: BONDERITE L-GP 4275 CORROSION INHIBITOR known as CP 4275

Page 4 of 6

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:**Material, if discarded, is not expected to be a characteristic hazardous waste

under RCRA. Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

201 to dotomino ii it modio applicable dominione of nazardodo i

# 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** RQ, Environmentally hazardous substance, liquid, n.o.s.

Hazard class or division: 9
Identification number: UN 3082
Packing group: III

DOT Hazardous Substance(s): Diethanolamine

International Air Transportation (ICAO/IATA)

Proper shipping name: RQ, Environmentally hazardous substance, liquid, n.o.s.

Hazard class or division: 9

Identification number: UN 3082 Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CP

Bis(2-chloroethyl)ether-TMEDA)

Hazard class or division: 9
Identification number: UN 3082

Packing group:

Marine pollutant: CP Bis(2-chloroethyl)ether-TMEDA

**Exceptions:** Classified per IMDG Amendment 34; Effective Jan 1, 2010.

## 15. REGULATORY INFORMATION

**United States Regulatory Information** 

IDH number: 593798

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: None above reporting de minimis.
CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Diethanolamine (CAS# 111-42-2).

CERCLA Reportable quantity: Diethanolamine (CAS# 111-42-2) 100 lbs. (45.4 kg)

California Proposition 65: This product contains a chemical known in the State of California to cause cancer.

Product name: BONDERITE L-GP 4275 CORROSION INHIBITOR known as CP 4275

Page 5 of 6

Additional Regulatory Information: This product is controlled for export by the United States Department of Commerce. The

Export Classification Control Number (ECCN) is 1C995.a.2.a

**Canada Regulatory Information** 

IDH number: 593798

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

#### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: John DiCerbo, Sr. Regulatory Affairs Specialist

**Issue date:** 06/29/2018

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Product name: BONDERITE L-GP 4275 CORROSION INHIBITOR known as CP 4275

Page 6 of 6